

SAMPLE DETAILS

SAMPLE NAME: 3000 mg FS CBD + Isolate Natural

Infused, Liquid Edible

CULTIVATOR / MANUFACTURER

Business Name:

License Number:

Address:

DISTRIBUTOR / TESTED FOR

Business Name: CBFarma Brazil

License Number:

Address: Rod. Antonio Heril, no. 6250, KM 6
Galpao 01, ITAJAI Brazil
taipava Bairro Itapava, 88.318-112

SAMPLE DETAIL

Batch Number: 250508A

Sample ID: 250603L024

Date Collected: 06/03/2025

Date Received: 06/03/2025

Batch Size:

Sample Size: 1.0 unit

Unit Mass: 30 grams per Unit

Serving Size: 1 gram per Serving

Scan QR code to verify
authenticity of results.

CANNABINOID ANALYSIS - SUMMARY

Total THC: 41.820 mg/unit

Total CBD: 3002.460 mg/unit

Sum of Cannabinoids: 3166.710 mg/unit

Total Cannabinoids: 3166.470 mg/unit

Total THC/CBD is calculated using the following formulas to take into
account the loss of a carboxyl group during the decarboxylation step:Total THC = Δ^9 -THC + (THCa (0.877))

Total CBD = CBD + (CBDa (0.877))

Sum of Cannabinoids = Δ^9 -THC + THCa + CBD + CBDa + CBG + CBGa +THCV + THCVa + CBC + CBCa + CBDV + CBDVa + Δ^8 -THC + CBL + CBNTotal Cannabinoids = (Δ^9 -THC+0.877*THCa) + (CBD+0.877*CBDa) +

(CBG+0.877*CBGa) + (THCV+0.877*THCVa) + (CBC+0.877*CBCa) +

(CBDV+0.877*CBDVa) + Δ^8 -THC + CBL + CBN

Density: 0.9553 g/mL

SAFETY ANALYSIS - SUMMARY


 Δ^9 -THC per Unit: ✔ PASS Δ^9 -THC per Serving: ✔ PASS

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only
to the sample included on this report. This report shall not be reproduced, except in full, without written
approval of the laboratory.

Sample Certification: California Code of Regulations Title 4 Division 19. Department of Cannabis Control
Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking
measurement uncertainty into account. Where statements of conformity are made in this report, the following
decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications.

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT),
 $\mu\text{g/g}$ = ppm, $\mu\text{g/kg}$ = ppb


LQC verified by: Yasmin Kakkar
Job Title: Senior Laboratory Analyst
Date: 06/04/2025


Approved by: Josh Wurzer
Job Title: Chief Compliance Officer
Date: 06/04/2025



Cannabinoi*d* Analysis

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

TOTAL THC: 41.820 mg/unit

Total THC (Δ^9 -THC+0.877*THCa)

TOTAL CBD: 3002.460 mg/unit

Total CBD (CBD+0.877*CBDA)

TOTAL CANNABINOIDS: 3166.470 mg/unit

Total Cannabinoids (Total THC) + (Total CBD) + (Total CBG) + (Total THCV) + (Total CBC) + (Total CBDV) + Δ^8 -THC + CBL + CBN

TOTAL CBG: 25.320 mg/unit

Total CBG (CBG+0.877*CBGa)

TOTAL THCV: ND

Total THCV (THCV+0.877*THCVa)

TOTAL CBC: 47.820 mg/unit

Total CBC (CBC+0.877*CBCa)

TOTAL CBDV: 37.080 mg/unit

Total CBDV (CBDV+0.877*CBDVa)

CANNABINOID TEST RESULTS - 06/04/2025

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
CBD	0.004 / 0.011	±3.7308	100.021	10.0021
CBC	0.003 / 0.010	±0.0513	1.594	0.1594
Δ^9 -THC	0.002 / 0.014	±0.0765	1.394	0.1394
CBDV	0.002 / 0.012	±0.0504	1.236	0.1236
CBG	0.002 / 0.006	±0.0409	0.844	0.0844
CBN	0.001 / 0.007	±0.0082	0.285	0.0285
CBL	0.003 / 0.010	±0.0042	0.114	0.0114
CBDA	0.001 / 0.026	±0.0020	0.069	0.0069
Δ^8 -THC	0.01 / 0.02	N/A	ND	ND
THCa	0.001 / 0.005	N/A	ND	ND
THCV	0.002 / 0.012	N/A	ND	ND
THCVa	0.002 / 0.019	N/A	ND	ND
CBDVa	0.001 / 0.018	N/A	ND	ND
CBGa	0.002 / 0.007	N/A	ND	ND
CBCa	0.001 / 0.015	N/A	ND	ND
SUM OF CANNABINOIDS			105.557 mg/g	10.5557%

Unit Mass: 30 grams per Unit / Serving Size: 1 gram per Serving

Δ^9 -THC per Unit	110 per-package limit	41.820 mg/unit	PASS
Δ^9 -THC per Serving		1.394 mg/serving	PASS
Total THC per Unit		41.820 mg/unit	
Total THC per Serving		1.394 mg/serving	
CBD per Unit		3000.630 mg/unit	
CBD per Serving		100.021 mg/serving	
Total CBD per Unit		3002.460 mg/unit	
Total CBD per Serving		100.082 mg/serving	
Sum of Cannabinoids per Unit		3166.710 mg/unit	
Sum of Cannabinoids per Serving		105.557 mg/serving	
Total Cannabinoids per Unit		3166.470 mg/unit	
Total Cannabinoids per Serving		105.549 mg/serving	

DENSITY TEST RESULT

0.9553 g/mL
Tested 06/04/2025
Method: QSP 7870 - Sample Preparation

NOTES

Sample serving mass provided by client. Sample unit mass provided by client.



Certificate of Analysis

R&D

Batch # 250508A
Batch Date : 06-06-2025
Extracted From: INDUSTRIAL HEMP

Test Reg State: Florida

Order # LAU250109-020001 Sampling Date: 2025-06-08 Initial Gross Weight: 26.600 g
Order Date: 2025-06-09 Lab Batch Date: 2025-06-09
Sample # AAGH400 Completion Date: 2025-06-13



Heavy Metals

Specimen Weight: 252.300 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 198

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	200	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	200	<LOQ	Mercury (Hg)	.58	100	200	<LOQ



Mycotoxins

Specimen Weight: 616.600 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.430

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					



Residual Solvents - FL (CBD)

Specimen Weight: 15.000 mg

Passed
SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	ND	Heptane	0.0013	1.39	5000	ND
1,2-Dichloroethane	0.0003	0.04	2	ND	Hexane	0.068	1.17	290	ND
Acetone	0.015	2.08	5000	ND	Isopropyl alcohol	0.0048	1.39	500	ND
Acetonitrile	0.06	1.17	410	ND	Methanol	0.0005	0.69	3000	ND
Benzene	0.0002	0.02	2	ND	Methylene chloride	0.0029	2.43	600	ND
Butanes	0.4167	2.5	2000	ND	Pentane	0.037	2.08	5000	ND
Chloroform	0.0001	0.04	60	ND	Propane	0.031	5.83	2100	ND
Ethanol	0.0021	2.78	5000	ND	Toluene	0.0009	2.92	890	ND
Ethyl Acetate	0.0012	1.11	5000	ND	Total Xylenes	0.0001	2.92	2170	ND
Ethyl Ether	0.0049	1.39	5000	ND	Trichloroethylene	0.0014	0.49	80	ND
Ethylene Oxide	0.0038	0.1	5	ND					

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

R&D

Batch # 250508A
Batch Date : 06-06-2025
Extracted From: INDUSTRIAL HEMP

Test Reg State: Florida

Order # LAU250109-020001
Order Date: 2025-06-09
Sample # AAGH400

Sampling Date: 2025-06-08
Lab Batch Date: 2025-06-09
Completion Date: 2025-06-13

Initial Gross Weight: 26.600 g



Pesticides


Specimen Weight: 616.600 mg

Passed

SOP13.007 (LCMS)

Dilution Factor: 2.430

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	100	<LOQ	Fludioxonil	1.7400E+0	48	100	<LOQ
Acephate	2.3000E-2	30	100	<LOQ	Hexythiazox	4.9000E-2	30	100	<LOQ
Acequinocyl	9.5640E+0	48	100	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	100	<LOQ	Imidacloprid	9.4000E-2	30	400	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	100	<LOQ
Azoxystrobin	8.1000E-2	10	100	<LOQ	Malathion	8.2000E-2	30	200	<LOQ
Bifenazate	1.4150E+0	30	100	<LOQ	Metalaxyl	8.1000E-2	10	100	<LOQ
Bifenthrin	4.3000E-2	30	200	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	100	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	700	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	MGK-264	5.8500E-1	10	100	<LOQ
Chlorantraniliprole	3.3000E-2	10	1000	<LOQ	Myclobutanil	1.0290E+0	30	100	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Naled	9.5000E-2	30	250	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlormequat Chloride	1.0800E-1	10	1000	<LOQ	Paclobutrazol	6.5000E-2	30	100	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	150	<LOQ
Clofentezine	1.1900E-1	30	200	<LOQ	Permethrin	3.4300E-1	30	100	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Phosmet	8.2000E-2	30	100	<LOQ
Cyfluthrin	3.1100E+0	30	500	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cypermethrin	1.4490E+0	30	500	<LOQ	Prallethrin	7.9800E-1	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propiconazole	7.0000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyrethrins	2.3593E+1	30	500	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Pyridaben	3.2000E-2	30	200	<LOQ
Dimethomorph	5.8300E+0	48	200	<LOQ	Spinetoram	8.0000E-2	10	200	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spinosad	8.8000E-2	30	100	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	100	<LOQ
Etiozole	9.5000E-2	30	100	<LOQ	Spirotetramat	8.9000E-2	30	100	<LOQ
Fenhexamid	5.1000E-1	10	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Tebuconazole	6.7000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	500	<LOQ
Fonicamid	5.1700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	100	<LOQ



Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

